

Commonwealth of Virginia Locality Recycling Rate Report For Calendar Year 2012

Contact Information

Reporting Solid Waste Planning	Unit:	Virginia Tech	
--------------------------------	-------	---------------	--

Person Completing This Form: Dennis C. Cochrane

Title: Sustainability Program Manager, Office of Energy & Sustainability

Address: Sterrett Facilities Complex (MC 0529), Blacksburg, Virginia 24061

City

Street/P.O. Box

State

Zip

Phone #: (540) 231-5184

Fax #:

(540) 231-4745

Email Address:

denniscc@vt.edu

Member Governments: The Montgomery Regional Solid Waste Authority oversees
the Solid Waste Management Plan for our region. MRSWA prepares a consolidated
Recycling Rate Report for its four jurisdictional members: Virginia Tech, the Town
of Blacksburg, the Town of Christiansburg, and Montgomery County. This report is
only for the Virginia Tech Blacksburg campus. The solid waste re-used and recycled

data reflects our ongoing robust construction/renovation program, and operations.

Due to the complexity and difficulty in obtaining data, this report reflects the best efforts of the solid waste planning unit to represent its recycling efforts for CY 2012. I certify that I have personally examined and am familiar with the information submitted in this form and any attached documents, and that, based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. These records will be made available for auditing purposes, if requested.

Authorized Signature

Sustainability Program Manager

March 22, 2013

Title

Date

Return completed form by April 30, 2013 to: Virginia DEQ, Attn: Recycling Rates, P.O. Box 1105, Richmond, VA 23218.

Locality Recycling Rate Report

For Calendar Year 2012

PART A: Recycling Rate Calculation - Using the formulae provided below and the information reported on Pages 3, 4 and 5 to calculate your recycling rates.

Step 1: [(PRMs) / (PRMs + MSW Disposed)] X 100 = Base Recycling Rate % 2,340.99 3,641.29 39.13 2,340.99 X 100 =% +

Step 2: CREDITS calculation

- a. Total Recycling Residue
- b. Total Solid Waste Reused
- c. Total Non-MSW Recycled

0.00 tons

12,921.84 tons 3,858.40 tons

CREDITS 16,780.24 tons

Adjusted

Step 3: [(PRMs + CREDITS) / (PRMs + CREDITS + MSW Disposed)] X 100 = Recycling Rate #1*

Step 4: Source Reduction Credit does not apply; or

Adjusted Recycling Rate #1 + 2% SRP Credit = Adjusted Recycling Rate #2*

% Step 5: Final Recycling Rate* for Solid Waste Planning Unit = 44.13

* Total credits resulting from Steps 3 and 4 may not exceed 5 percentage points above the Base Recycling Rate achieved by the Solid Waste Planning Unit.

Part I: Principal Recyclable Materials (PRMs): Report only PRM material generated within the reporting SWPU and recycled, NOT imported PRMs for recycling.

PRM TYPE	RECYCLED AMOUNT (TONS)
Paper	881.10
Metal	262.62
Plastic	1.35
Glass	0.00
Commingled	115.45
Yard Waste (composted or mulched)	250.00
Waste wood (chipped or mulched)	150.00
Textiles	0.00
Tires	12.33
Used Oil	8.07
Used Oil Filters	1.36
Used Antifreeze	0.00
Batteries	5.50
Electronics	28.00
Inoperative Motor Vehicles	0.00
Other (Food Waste Organic-Composting)	582.90
Other (Dining Services Waste Cooking Oil)	27.51
Other (Fluorescent Bulbs/Lights)	11.00
Other (Ballasts)	3.80
TOTAL PRMs	2,340.99 (PRMs)
	(Enter Total on Page 2, Step 1)
	=

Part II: Credits by Category (see Credits Worksheet, Page 5)

A. Recycling Residue – "Recycling residue" means the (i) nonmetallic substances, including but not limited to plastic, rubber, and insulation, which remain after a shredder has separated for purposes of recycling the ferrous and nonferrous metal from a motor vehicle, appliance, or other discarded metallic item and (ii) organic waste remaining after removal of metals, glass, plastics and paper which are to be recycled as part of a resource recovery process for municipal solid waste resulting in the production of a refuse derived fuel. (§ 10.1-1400 of the *Code of Virginia*) (use only SWPU generation)

MATERIAL DESCRIPTION	FACILITY/OPERATION	TONS OF MATERIAL
from		101100111111111111111111111111111111111
from		
from	1	
ТОТА	L RECYCLING RESIDUE	Fotal on Page 2. Sten 2 a)

B. Solid Waste Re-Used		
MATERIAL		
DESCRIPTION	REUSE METHOD	TONS OF MATERIAL
Furniture/Appliances	"Ytoss" YMCA/VT Reuse Program	<u>13.50</u>
Fill Material	Concrete & Stone (construction projects)	11,548.13
Wood Material	Wood (construction projects)	291.93
Fill & Wood Mat.	Concrete & Wood (Vet Med Addition Bldg	<u>117.78</u>
Wood Mulch	Derecho (June Storm - 3,802 Cubic Yards)	950.50
	TOTAL SOLID WASTE REUSED	12,921.84
	(Enter Tot	al on Page 2, Step 2 b)

C. Non-Municipal Solid Waterial	aste (MSW) Recycled		
DESCRIPTION	RECYCLING METHOD	TONS	OF MATERIAL
Roof EPDM	Remove Membrane at CMMID (Vet Med)	8.40
Asphalt Removal	Student Parking Lot (HABB1 Project)		3,850.00
			
	TOTAL NON MEW DECYCLED		2 050 40
	TOTAL NON-MSW RECYCLED		3,858.40
	(Enter	otal o	n Page 2, Step 2 c)

D: A credit of two (2) percentage points may be added to the Adjusted Recycling Rate #1 if the Solid Waste Planning Unit has implemented a Source Reduction Program (SRP). Examples of SRPs include Grasscycling, Home Composting, Clothing Reuse, Office Paper Reduction (duplexing), Multi-Use Pallets, or Paper Towel Reduction. The SRP must be included in the Solid Waste Management Plan on file with the Department:

SRP description: The Food Service Organics (Composting) Partnership with the local firm

Poplar Manor Enterprises, LLC. continues to grow. The program now

includes all 11 on campus dining facilities & The Inn at Virginia Tech.

SRP description: Library Services continues to remove hard copy volumes from Newman

Library. MRSWA and Virginia Tech Recycling working to remove an

estimated 60,000 volumes by the end of May 2013 with more in the future.

SRP description: The Human Resources Department has upgraded its operations so that

nearly all personnel actions can be handled online and electronically.

SRP description: Virginia Tech is participating in RecycleMania (8th consecutive year).

(Certify on Page 2, Step 4)

Exclusions: For the purposes of this report, the following materials are not considered solid wastes, and should not be included in any of the data categories utilized in calculating the recycling rate.

- 1. Biosolids -industrial sludge, animal manures; or, sewage sludge (unless composted)
- 2. Automobiles unless part of the Inoperable Vehicle Program (DMV)
- 3. Leachate
- 4. Soils contaminated soils, soil material from road maintenance
- 5. Household hazardous waste
- 6. Hazardous waste
- 7. Medical waste
- 8. Rocks or stone

Locality Recycling Rate Report

For Calendar Year 2012

Part III: Total Municipal Solid Waste (MSW) Disposed** - Report only MSW generated within the reporting jurisdiction(s), NOT imported wastes or industrial wastes.

MSW TYPE	TOTAL AMOUNT DISPOSED (TONS)	
Household		
Commercial		
Institutional	3,641.29	
Other (DO NOT INCLUDE INDUSTRIAL WASTES)		
TOTAL MSW DISPOSE	Enter Total on Page 2, Step 1 and Step 3)	
**MSW DISPOSED for the purpose of this report transfer station, or waste incinerator for disposal.	means delivered to a permitted sanitary landfill,	

eaits v	vorksneet	The second section where the second s	HIS SETTION MANUFACTURE SETTINGS OF PARTY SETINGS OF PARTY SETTINGS OF PARTY SETTING	жин домента принципа
I.	Reuse of any Soli	d Waste		
	_ PRM _ PRM _ PRM _ Industrial	Material description	Tons	
	Construction Demolition Debris Other Other			
_	_ Other	TOTAL TONS		(enter data on Page 4, Solid Waste ReUsed)
II.	,	Non-Municipal Solid Waste Material description	Tons	
	Industrial Construction Demolition Debris Other Other			
	_ Other	TOTAL TONS		(enter data on Page 4, Non-MSW Recycled)
III.		cles Removed and Demolished – reimbursement from DMV under		
		ved/reimbursement received te tonnage per vehicle	X 1 Ton each	h
		Total Tons		(enter data on Page 3, PRMs, Inoperative Motor Vehicle Program)

NOTE: Check "Exclusions" on Page 4 to avoid listing of those materials on this worksheet and/or in the data fields of this report.

Part C: Recycling Rate Report Instructions

Amended Regulations for the Development of Solid Waste Management Plans (9 VAC 20-130-10 et seq.) require that Solid Waste Planning Units (SWPUs) in the Commonwealth develop complete, revised solid waste management plans. Section 9 VAC 20-130-120 B & C of the Regulations requires that a minimum recycling rate of the total municipal solid waste generated annually in each solid waste planning unit be maintained. It also requires that the plan describe how this rate shall be met or exceeded and requires that the calculation methodology be included in the plan. Section 9 VAC 20-130-165 D establishes that every solid waste management planning unit with populations over 100,000 shall submit to the department by April 30 of each year, the data and calculations required in 9 VAC 20-130-120 B & C for the preceding calendar year. SWPUs with populations of 100,000 or less are only required to report every 4 years (CY years 2016 and forward).

NOTE: ONLY RECYCLING RATE REPORTS FROM AN APPROVED SOLID WASTE PLANNING UNIT (SWPU) WILL BE ACCEPTED FOR PROCESSING. JURISDICTIONS WITHIN A SWPU MUST SUBMIT THEIR RECYCLING DATA TO THE SWPU FOR INCORPORATION INTO THE ANNUAL REPORT.

It is requested that all amounts included on the form be listed in **tons** (2,000 pounds), rounded to the nearest whole ton. If actual weights are not known, volumes can be converted to weight estimates. To assist you with these estimates, a standardized volume-to-weight conversion table is attached.

Contact Information Section: Please provide information on the Reporting SWPU and information on the individual completing this form. Under Member Governments, please list the local governments identified in the applicable solid waste management plan.

Calculated Recycling Rate Section: Using the formulae provided, calculate your recycling rates for the reporting period from information identified in the Recycling Rate Calculations Section.

Signature Block Section: Please provide an authorized signature prior to submitting the completed form. Authorized signatories include Executive Officer, Administrator, or other legally designated representative of the SWPU reporting entity.

Recycling Rate Calculations Section: Please provide the requested information:

Part I: Principal Recyclable Material (PRM) - Report the amount in tons of each PRM collected for recycling in the named jurisdiction(s) during the reporting period. PRMs include paper, metal, plastic, container glass, commingled, yard waste, waste wood, textiles, tires, used oil, used oil filters, used antifreeze, batteries, electronics, and other materials approved by the Director taken from the Municipal Solid Waste (MSW) generation. A one ton credit may also be entered for each inoperable motor vehicle for which a locality receives reimbursement from the Virginia Department of Motor Vehicles under §46.2-1207 of the *Code of Virginia*. The total weight in TONS of all PRMs collected for recycling is represented as PRMs in the Recycling Rate Calculation.

Part II: Credits - Report the amount in TONS of each material for which recycling credit is authorized in §10.1-1411.C of the *Code of Virginia*: (i) one ton for each ton of recycling residue generated in Virginia and deposited in a landfill permitted under §10.1-1408.1 of the *Code of Virginia*; (ii) one ton for each ton of any solid waste material that is reused; and, (iii) one ton for each ton of any non-municipal solid waste that is recycled. The total weight in TONS of all material for which credits are authorized is represented as CREDITS in the Recycling Rate Calculation. A credit of two percentage points of the minimum recycling rate mandated for the Solid Waste Planning Unit (SWPU) may be taken for a source reduction program that is implemented and identified in its Solid Waste Management Plan. Total credits may not exceed five percentage points above the Base Recycling Rate achieved by the SWPU.

Part III: Total Municipal Solid Waste (MSW) Disposed: Report the total amount in TONS of MSW that was disposed of by the Solid Waste Planning Unit (SWPU) during the reporting period for each of the source categories (Household, Commercial, Institutional, and Other). For the purpose of this report, "disposed," means delivery to a permitted sanitary landfill or waste incinerator for disposal, and excludes industrial wastes. Industrial waste and by-products should not be included in the MSW or Recycling calculation. The total weight in tons of MSW disposed is represented as MSW Disposed in the Recycling Rate Calculation.

Locality Recycling Rate Report Volume to Weight Conversion Table

Material	Volume	Weight in Pounds
Metal	VOIGING	Weight in I value
Aluminum Cans, Whole	One cubic yard	50-74
Aluminum Cans, Flattened	One cubic yard	250
Aluminum Cans	One full grocery bag	1.5
Ferrous Cans, Whole	One cubic yard	150
Ferrous Cans, Flattened	One cubic yard	850
Automobile Bodies	One vehicle	2,000
Paper		2,000
Newsprint, Loose	One cubic yard	360-800
Newsprint, Compacted	One cubic yard	720-1,000
Newsprint	12" stack	35
Corrugated Cardboard, Loose	One cubic yard	75-100
Corrugated Cardboard, Baled	One cubic yard	1,000-2,000
Plastic	One capie yard	1,000-2,000
PETE, Whole, Loose	One cubic yard	30-40
PETE, Whole, Loose	Gaylord	40-53
PETE, Whole, Baled	30" x 62"	500
Film, Baled	30" x 42" x 48"	1,100
Film, Baled	Semi-Load	44,000
Film, Loose	Standard grocery bag	15
HDPE (Dairy Only), Whole, Loose	One cubic yard	24
HDPE (Dairy Only), Whole, Loose HDPE (Dairy Only), Baled	32" x 60"	400-500
HDPE (Mixed), Baled	32" x 60"	
Mixed PET & Dairy, Whole, Loose	One cubic yard	900
Mixed PET & Dairy, whole, Loose Mixed PET, Dairy & Other Rigid	One cubic yard One cubic yard	32
(Whole, Loose)	One cubic yard	38
Mixed Rigid, No Film	One cubic yard	40
Glass	One cubic yard	49
Glass, Whole Bottles	One orbin road	600 1 000
Glass, Semi-Crushed	One cubic yard	600-1,000
	One cubic yard	1,000-1,800
Glass, Crushed (Mechanically) Glass, Whole Bottles	One cubic yard	800-2,700
	One full grocery bag	16
Glass, Uncrushed to Manually Broken	55 gallon drum	125-500
Arboreal		
Leaves, Uncompacted	One cubic yard	200 250
		200-250
Leaves, Compacted	One cubic yard	300-450
Leaves, Vacuumed	One cubic yard	350
Wood Chips	One cubic yard	500
Grass Clippings	One cubic yard	400-1,500
Other Demonstration of the second	Long	
Battery (Heavy Equipment)	One	60
Battery (Auto)	One	35.9
Used Motor Oil	One gallon	7.4
Used Oil Filters (Uncrushed)	55 gallon drum	66 Lbs./Used Oil +
Head Oil Filters (C1-4)	5511 A	110 Lbs./Ferrous Metal
Used Oil Filters (Crushed)	55 gallon drum	16.5 Lbs./Used Oil +
Time Degree Com	Ome	368 Lbs./Ferrous Metal
Tire - Passenger Car	One	20
Tire - Truck, Light	One	35
Tire - Semi	One	105
Antifreeze	One gallon	8.42
Food Waste, Solid & Liquid Fats	55 gallon drum	412
Electronics: CRT/CPU/LapTop/TV	Each (avg wt from NCER)	38/26/8/49 respectively
	This Table For General Guidance O	only.